# PREMIÈRE 48S SLIM LINE

48S SLIM LINE

FULL POSTER AREA: 6162 mm (w) x 3135 mm (h) - (with 20mm bleed)
SAFE COPY AREA: 6096 mm (w) x 3048 mm (h)

FULL POSTER AREA

6162 mm

3135 mm

Important Information (logos, text etc)
should be kept inside the safe copy area

SAFE COPY AREA

DESIGN SPECIFICATIONS

Artboard Size: 616.2 mm (w) x 313.5 mm (h) (with 3mm bleed)
Safe Copy Area: 609.6 mm (w) x 304.8 mm (h)

All images should be at least 300dpi.
High resolution pdfs accepted.
Please ensure that your high res PDFs are properly formatted with trim and bleed boxes.
This is designed at a tenth of the size and will be scaled up by printer.

MAX. FILE SIZE ACCEPTED UP TO APPROXIMATELY 50MB

PREMIÈRE 48S WALK IN BOX

48S WALK IN BOX

FULL POSTER AREA: 6148 mm (w) x 3128 mm (h) - (with 20mm bleed)
SAFE COPY AREA: 6096 mm (w) x 3048 mm (h)

FULL POSTER AREA
6148 mm

3128 mm

Important Information (logos, text etc)
should be kept inside the safe copy area

SAFE COPY AREA

DESIGN SPECIFICATIONS

Artboard Size: 614.8 mm (w) x 312.8 mm (h) (with 3mm bleed)
Safe Copy Area: 609.6 mm (w) x 304.8 mm (h)

All images should be at least 300dpi.
High resolution pdfs accepted.
Please ensure that your high res PDFs are properly formatted with trim and bleed boxes.
This is designed at a tenth of the size and will be scaled up by printer.

**MAX. FILE SIZE ACCEPTED UP TO APPROXIMATELY 50MB**

PREMIÈRE 96S WALK IN BOX

96S WALK IN BOX

FULL POSTER AREA: 12268 mm (w) x 3068 mm (h) - (with 20mm bleed)
SAFE COPY AREA: 12068 mm (w) x 2868 mm (h)

FULL POSTER AREA
12268 mm

3068 mm

Important Information (logos, text etc)
should be kept inside the safe copy area

SAFE COPY AREA

DESIGN SPECIFICATIONS

Artboard Size: 1226.8 mm (w) x 306.8 mm (h) (with 3mm bleed)
Safe Copy Area: 1206.8 mm (w) x 286.8 mm (h)

All images should be at least 300dpi.
High resolution pdfs accepted.
Please ensure that your high res PDFs are properly formatted with trim and bleed boxes.
This is designed at a tenth of the size and will be scaled up by printer.

MAX. FILE SIZE ACCEPTED UP TO APPROXIMATELY 50MB